



**POWDER HANDLINGS CABIN /// PHC
STAUBREDUZIERENDE UNTERDRUCK-KABINE
DUST REDUCING UNDERPRESSURE CABIN**

POWDER HANDLINGS CABIN PHC

*Für eine sauberere Arbeitsumgebung
For a cleaner work environment*

NEU. Pulver und Staub reduzierte Arbeitsumgebung.

- Unterdruckkabine für Staubreduzierung in vorhandenen Arbeitsumgebungen
- Gefahrgut bleibt in der Kabine und wird abgesaugt
- Kabinenbreite modular anpassbar
- Integrierte LED-Beleuchtung
- Optional mit Filteranlage oder Anschluß an zentrale Absaugsysteme
- Mit Doppeltor oder optional mit Schleuse

NEW. Powder and dust reduced work environment.

- Low pressure cabin for the reduction of powder in existing working environment
- Dangerous goods remain inside the cabin and will be sucked off
- Width of the cabine is adjustable modular
- Integrated LED-illumination
- Optional with air filter system or to be connected with existing exhaust system
- With double door or optional with air lock

Maße Grundmodul:
Breite 3.800 mm
Höhe 2.800 mm
Tiefe 2.800 mm

Dimensions base module:
Width 3.800 mm
Height 2.800 mm
Depth 2.800 mm



Optional: Kabinenluft in zentrales Absaugsystem
Optional: air from the cabin to be sucked into central exhausting system.

Frischluftansaugung
Fresh air inlet

Kabine steht unter Unterdruck
Cabin is under low pressure

Modular erweiterbar
Modular size

Sichtfenster aus transparentem Kunststoff
Windows made of transparent plastic material

Standard: Doppeltor
Standard: Double door

Modular erweiterbar
Modular size

Optional: Kabinenluft in Absauganlage
Optional: air from cabin to be sucked into filter system



LED-Leuchtpaneele
LED light panels



Option: Absauganlage
Optional: filter system



Option: Anschluß an zentrales Absaugsystem
Optional: connection to a existing exhaust system



Optional: Tore als Schleuse
Optional: Doors with air lock

TECHNISCHE DATEN

Abmessungen:	3.200 mm Breite, 2.800 mm Tiefe, 2.800 mm Höhe
Beleuchtung:	LED-Panels
Stromaufnahme:	300 W
Gewicht:	400 kg
Türe:	Doppeltor

Optionen

- Türen als Schleuse
- Breitenanpassung
- Lackierung in RAL
- Druckluftanschluß
- Filteranlage
- Anschluß an zentrales Absaugsystem

TECHNICAL DATA

Dimensions:	3.200 mm Width, 2.800 mm Width, 2.800 mm Depth
Illumination:	LED light panels
Power:	300 W
Weight	400 kg
Door:	Double door

Optional

- Doors as air lock
- Adjustable in width
- Finishing in RAL colors
- Compressed air connection
- Filter system
- Connection to existing exhaust system

